

Surface development guideline 8

Development in mine subsidence districts under s22
of the *Coal Mine Subsidence Compensation Act 2017*

1. Introduction

Subsidence Advisory NSW is the NSW Government agency responsible for administering the NSW *Coal Mine Subsidence Compensation Act 2017* (the Act).

The construction or alteration of any building or infrastructure in a declared Mine Subsidence District requires Subsidence Advisory approval under s22 of the Act.

Surface Development Guidelines

Subsidence Advisory's Guidelines outline the requirements for complying development on properties located in Mine Subsidence Districts.

Properties within a Mine Subsidence District are each assigned a specific Guideline based on an assessment of the type of mining and predicted subsidence impact which may affect that property.

The Guidelines may include requirements related to the nature and class of any development on a property, the size, height and location of new structures, and the use of certain building materials and construction methods.

The Guidelines aim to:

- help prevent damage to improvements should mine subsidence occur
- ensure structures remain safe for residents should mine subsidence occur
- ensure that mitigating the risk of subsidence damage for residential construction is as simple and inexpensive as practicable.

The Guidelines are listed at **Table 1**.

The Guideline that applies to a particular property can be identified by searching for that property on the NSW Planning Portal's ePlanning Spatial Viewer. Find out more:

nsw.gov.au/subsidence-advisory/districts#toc-nsw-planning-portal-eplanning-spatial-viewer

Table 1 – Guidelines

Surface Development Guideline	Mining type / predicted subsidence impact	Assessment Authority
Guideline 1	Historical mine workings – risk of pothole subsidence	Subsidence Advisory
Guideline 1A	Historical mine workings – risk of goaf consolidation	Subsidence Advisory
Guideline 2	Historical mine workings – possible subsidence risk	Council* Certifier* Subsidence Advisory
Guideline 3	Historical mine workings – remote subsidence risk	Council* Certifier* Subsidence Advisory
Guideline 3A	Historical mine workings – low subsidence risk	Council* Certifier* Subsidence Advisory
Guideline 4	Current mining areas – high predicted subsidence impact	Subsidence Advisory
Guideline 5	Current mining areas – moderate predicted subsidence impact	Subsidence Advisory
Guideline 6	Current mining areas – minimal predicted subsidence impact	Council* Certifier* Subsidence Advisory
Guideline 7	On application	Subsidence Advisory
Guideline 8	No restrictions	Council* Certifier* Subsidence Advisory

**Pursuant to section 24 of the Act, Subsidence Advisory NSW has exempted works that comply with Guidelines 2, 3, 3A, 6 and 8 from the operation of section 21 of the Act provided that certification is provided by a council or registered certifier (as defined in the Environmental Planning and Assessment Act 1979) as compliant with the relevant guideline.*

2. Surface Development Guideline 8

This document explains the requirements for building on a property in a Mine Subsidence District that has been assigned **Guideline 8**, it does not include proposed subdivisions.

Guideline 8 applies to properties that are not undermined, and future mining is not likely. These properties are assessed as not being at risk from mine subsidence.

3. Allowable construction

Guideline 8 does not apply restrictions on development for these properties.

4. Who can assess development under Guideline 8

Applications for proposed development that complies with this Guideline can be assessed by Subsidence Advisory, the relevant council or a registered certifier as defined in the *Environmental Planning and Assessment Act 1979*.

5. Disclaimer

Please note that Subsidence Advisory's Surface Development Guidelines are subject to change.