

2a - WINDOW HEAD SECTION

SCALE 1 : 2

* FOR MASONRY FIXING DETAILS
REFER TO TYPICAL TOP HAT FIXING
DETAILS PACKAGE

** NON-COMBUSTIBLE PACKERS OR
TOP HAT CLEAT SYSTEM AS REQUIRED


*** CAVITY FIRE BARRIER TYPE AND INSTALLATION
TO MEET CAVITY SIZE REQUIREMENTS
AND SUPPLIERS GUIDELINES

**** DESIGNERS TO ASSESS REQUIREMENTS FOR
SLOTTED HOLE PANEL FIXING TO ADDRESS
THERMAL PERFORMANCE

NOTES:

Specifications

000-AC-GF-DWG-0101, 0102, 0103,
0104, 0105, 0107, 0108, 6011



Detail 2

000-AC-GF-DWG-6101


LEGEND:



EXISTING STRUCTURE
NOT SUBJECT TO
REMEDIAL WORKS



APPROXIMATE LOCATION OF
EXISTING WALL CLADDING



TITLE	WINDOW HEAD DETAIL 2a		
CLADDING	BONDED LAMINATE		
SUBSTRATE	MASONRY	Rev	
DWG NUMBER	000-AC-GF-DWG-6120	3	