


2a - WINDOW HEAD SECTION
SCALE 1 : 2

- * FOR STUD FIXING DETAILS REFER TO TYPICAL TOP HAT FIXING DETAILS PACKAGE
- ** NON-COMBUSTIBLE PACKERS OR TOP HAT CLEAT SYSTEM AS REQUIRED
- *** CAVITY FIRE BARRIER TYPE AND INSTALLATION TO MEET CAVITY SIZE REQUIREMENTS AND SUPPLIERS GUIDELINES
- **** DESIGNERS TO ASSESS REQUIREMENTS FOR SLOTTED HOLE PANEL FIXING TO ADDRESS THERMAL PERFORMANCE

NOTES:

Specifications
000-AC-GF-DWG-0101, 0102, 0103, 0104, 0105, 0107, 0108, 6011




Detail 2
000-AC-GF-DWG-6201

LEGEND:

EXISTING STRUCTURE NOT SUBJECT TO REMEDIAL WORKS

APPROXIMATE LOCATION OF EXISTING WALL CLADDING



TITLE		WINDOW HEAD DETAIL 2a	
CLADDING		BONDED LAMINATE	
SUBSTRATE	STEEL FRAMING	Rev	
DWG NUMBER	000-AC-GF-DWG-6220	3	