


**4b - ALTERNATIVE DOOR JAMB SECTION (PLAN VIEW)**  
SCALE 1 : 2

- \* FOR MASONRY FIXING DETAILS  
REFER TO TYPICAL TOP HAT FIXING  
DETAILS PACKAGE
- \*\* NON-COMBUSTIBLE PACKERS OR  
TOP HAT CLEAT SYSTEM AS REQUIRED
- \*\*\* CAVITY FIRE BARRIER TYPE AND INSTALLATION  
TO MEET CAVITY SIZE REQUIREMENTS  
AND SUPPLIERS GUIDELINES
- \*\*\*\* DESIGNERS TO ASSESS REQUIREMENTS FOR  
SLOTTED HOLE PANEL FIXING TO ADDRESS  
THERMAL PERFORMANCE

**NOTES:**


Specifications  
000-AC-GF-DWG-0101, 0102, 0103,  
0104, 0105, 0107, 0108 , 6011



**Detail 4**  
**000-AC-GF-DWG-6101**

**LEGEND:**

- EXISTING STRUCTURE  
NOT SUBJECT TO  
REMEDIAL WORKS
- APPROXIMATE LOCATION OF  
EXISTING WALL CLADDING



TITLE	DOOR JAMB DETAILS 4b		
CLADDING	BONDED LAMINATE		
SUBSTRATE	MASONRY	Rev	
DWG NUMBER	000-AC-GF-DWG-6141	3	