

### 3b - ALTERNATIVE WINDOW SILL SECTION

SCALE 1 : 2

\* FOR MASONRY FIXING DETAILS  
REFER TO TYPICAL TOP HAT FIXING  
DETAILS PACKAGE

\*\* NON-COMBUSTIBLE PACKERS OR  
TOP HAT CLEAT SYSTEM AS REQUIRED


\*\*\* CAVITY FIRE BARRIER TYPE AND INSTALLATION  
TO MEET CAVITY SIZE REQUIREMENTS  
AND SUPPLIERS GUIDELINES

\*\*\*\*DESIGNERS TO ASSESS REQUIREMENTS FOR  
SLOTTED HOLE PANEL FIXING TO ADDRESS  
THERMAL PERFORMANCE

### NOTES:

#### Specifications


000-AC-GF-DWG-0101, 0102, 0103,  
0104, 0105, 0107, 0108, 6011




#### Detail 3

000-AC-GF-DWG-6101

#### LEGEND:

 EXISTING STRUCTURE  
NOT SUBJECT TO  
REMEDIAL WORKS

 APPROXIMATE LOCATION OF  
EXISTING WALL CLADDING

1:2 

TITLE	WINDOW SILL DETAIL 3b	
-------	-----------------------	--

CLADDING	BONDED LAMINATE	
----------	-----------------	--

SUBSTRATE	MASONRY	Rev
-----------	---------	-----

DWG NUMBER	000-AC-GF-DWG-6131	3
------------	--------------------	---